

Chapter 1

Sunday, February 15, 2009
11:41 PM

[Jump to Navigation Frame](#)

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 1

Started: January 8, 2009 8:41 PM

Submitted: January 8, 2009 8:55 PM

:

Time spent: [00:13:21](#)

Total score: 9/10 = 90%

Total score adjusted by 0.0

Maximum possible score: 10

1.

Drug use that is not common within a social group and that is disapproved of by the majority, causing members of a group to take corrective action when it occurs, is

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. deviant drug use.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> B. drug misuse.			
<input type="checkbox"/> C. drug abuse.			
<input type="checkbox"/> D. illicit drug abuse.			

General Feedback:

page 6

Score:

1/1

2.

Which type of factor probably plays a bigger role in determining whether a person will try a drug in the first place, as opposed to determining which of those who try it will become dependent?

Student Response	Value	Correct Answer	Feedback
<input type="checkbox"/> A. genetics			
<input type="checkbox"/> B. personality			

C. individual reaction to the drug

social 100%

D.

General Feedback:

page 16-20

Score:

1/1

3.

Among college students, fewer than one-fourth have ever tried

Student Response	Value	Correct Answer	Feedback
A. alcohol.			
B. cigarettes.			
C. marijuana.			
<input checked="" type="checkbox"/> hallucinogens.	100%	<input checked="" type="checkbox"/>	
D.			

General Feedback:

page 9

Score:

1/1

4.

We can get an idea of why someone is using a drug by examining when and where he or she uses it.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 3

Score:

1/1

5.

Drugs have played a significant role in human society

Student Response	Value	Correct Answer	Feedback
A. for about the past 100 years.			
B. only since the 1960s.			
<input checked="" type="checkbox"/> for thousands of years.	100%	<input checked="" type="checkbox"/>	
C.			
D. only in Europe and North America.			

General Feedback:

page 5, 7

Score:

1/1

6.

There are some drugs that we should just define as being bad drugs.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 4-5

Score:

1/1

7.

Based on two different large annual surveys, it appears that the percentage of young people reporting current marijuana use

Student Response	Value	Correct Answer	Feedback
A. is at its highest point since the studies began over 30 years ago.			
<input checked="" type="checkbox"/> B. is about half the amount of use than in the late 1970s.	100%	<input checked="" type="checkbox"/>	
C. has increased substantially during the past decade.			
D. is about 65 percent.			

General Feedback:

page 9-11

Score:

1/1

8.

One personality variable that has been consistently associated with higher rates of substance dependence is

Student Response	Value	Correct Answer	Feedback
A. low self-esteem.			
B. extraversion.			
<input checked="" type="checkbox"/> C. high impulsivity.	100%	<input checked="" type="checkbox"/>	
D. passivity.			

General Feedback:

page 15-16

9.

Much of our information about rates of drug use come from survey questionnaires. One important limitation of such questionnaires is

Student Response	Value	Correct Answer	Feedback
A. the sample sizes are too small.			
B. people might not answer honestly.		<input checked="" type="checkbox"/>	
<input type="checkbox"/> C. the people who do the studies are biased.	0%		
D. they don't ask questions about illicit drugs.			

General Feedback:

page 8

Score:

0/1

10.

It appears that the highest rates of use of alcohol, marijuana, and other illicit drugs in the United States occurred from about 1979-1980.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 11-12

Score:

1/1

Chapter 2

Sunday, February 15, 2009
11:43 PM

[Jump to Navigation Frame](#)

<

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 2

Started: January 18, 2009 6:34 PM

Submitted: January 18, 2009 6:44 PM

:

Time spent: [00:10:18](#)

Total score: **8/10 = 80%**

Total score adjusted by
0.0

Maximum possible score:
10

1.

Those who have received a "personality disorder" diagnosis, such as antisocial personality disorder,

Student Response	Value	Correct Answer	Feedback
A. have an increased likelihood of also having a substance use disorder.		<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/> B. are neither more nor less likely to have a substance use disorder.	0%		
C. are actually less likely to be dependent on a substance.			
D. are often given stimulant drugs as a treatment for the personality disorder.			

General Feedback:

page 39

Score:

0/1

2.

The drugs that are most likely to lead to dependence are the ones that have reduced effects after repeated use.

Student Response	Value	Correct Answer
True	0%	False

General Feedback:

page 33

Score:

0/1

3.

Physical dependence is defined by the appearance of withdrawal symptoms when the drug is stopped.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 33

4.

The DSM-IV-TR does not define addiction as such, but has diagnostic criteria for

Student Response	Value	Correct Answer	Feedback
A. habituation.			
<input checked="" type="checkbox"/> substance dependence and B. substance abuse.	100%	<input checked="" type="checkbox"/>	
C. chronic intoxication.			
D. drug-associated bipolar disorder.			

General Feedback:

page 36

Score:

1/1

5.

When using a substance makes normal activities such as driving result in harmful accidents, this is called

Student Response	Value	Correct Answer	Feedback
A. behavioral tolerance.			
B. drug misuse.			
<input checked="" type="checkbox"/> behavioral toxicity. C.	100%	<input checked="" type="checkbox"/>	
D. laissez-faire.			

General Feedback:

page 26

Score:

1/1

6.

In 2005, methamphetamine was the leading drug associated with emergency-room visits.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

pages 28-29

Score:

1/1

7.

In the U.S., about 5,000 arrests are made each year for drug-law violations.

Student Response	Value	Correct Answer
False	100%	False

General Feedback: pages 26, 40, 43

Score: 1/1

8.

Our best estimate is that tobacco cigarettes are associated with over 400,000 deaths per year, compared to roughly 15,000 for all illicit drugs combined.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 30

Score: 1/1

9.

Which of these substances has consistently been near the top of both the emergency room visits and drug-related deaths lists for the past 20 years?

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. alcohol-in-combination.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> B. marijuana.			
<input type="checkbox"/> C. methamphetamine.			
<input type="checkbox"/> D. ecstasy (MDMA).			

General Feedback: page 29

Score: 1/1

10.

Which of these substances is listed as having a "very high" dependence potential?

Student Response	Value	Correct Answer	Feedback
<input type="checkbox"/> A. LSD			
<input type="checkbox"/> B. marijuana			
<input type="checkbox"/> C. alcohol			

General Feedback:

pages 37-38

Score:

1/1

Chapter 3

Sunday, February 15, 2009
11:44 PM

[Jump to Navigation Frame](#)

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 3

Started: January 27, 2009 6:14 PM

Submitted: January 27, 2009 6:26 PM

Time spent: [00:11:46](#)

Total score: 10/10 = 100%

Total score adjusted by 0.0

Maximum possible score: 10

1.

The FDA requires that a drug company report to them on the results of three phases of human testing before they will approve a new drug to be sold as a prescription medicine.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

pages 59-60


Score:

1/1

2.

The U.S. Supreme Court has ruled that it is legal to use urine tests to screen students in public high schools for drug use

Student Response	Value	Correct Answer	Feedback
------------------	-------	----------------	----------


- A. only if there is evidence that the individual student has used drugs.
- B. only with the parents' permission.
- C. only after the student has been in a treatment program.
- D. if they are involved in extracurricular activities. 100% 

General Feedback: page 70-71

Score: 1/1

3.

In the early 1900s in the U.S., fears about opium and cocaine were closely linked to

Student Response	Value	Correct Answer	Feedback
A. large numbers of drug-related deaths.			
B. gang-related violence.			
<input checked="" type="checkbox"/> C. racial antagonism against Chinese immigrants and "lower class negroes."	100%		
D. public use in saloons and night clubs.			

General Feedback: page 53-55

Score: 1/1

4.

The U.S. Supreme Court has ruled that it is legal for public schools to engage in random urine testing for all students.

Student Response	Value	Correct Answer
False	100%	False

General Feedback: pages 70-71

Score: 1/1

5.

Compared to urine samples, hair samples

Student Response	Value	Correct Answer	Feedback
A. can be used to test for a greater variety of drugs.			
B. can detect drug use for up to a week.			
<input checked="" type="checkbox"/> C. can detect drug use for up to 90 days.	100%	<input checked="" type="checkbox"/>	
D. are harder to obtain.			

General Feedback:

page 72

Score:

1/1

6.

It is estimated that _____ percent of the illegal drug supply is seized by federal agencies each year.

Student Response	Value	Correct Answer	Feedback
A. 1-2			
<input checked="" type="checkbox"/> B. 10-15	100%	<input checked="" type="checkbox"/>	
C. 35-40			
D. more than 50			

General Feedback:

page 75

Score:

1/1

7.

The U.S. effort to eradicate illegal coca fields in South America was described by the General Accounting Office as a major success.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 74

Score:

1/1

8.

The Comprehensive Drug Abuse Prevention and Control Act of 1970

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> established schedules of	100%	<input checked="" type="checkbox"/>	

- A. controlled substances and moved enforcement to the Justice Department.
- B. was the first to distinguish prescription from over-the-counter drugs.
- C. established harsh penalties for first-offense possession of an illicit drug.
- D. included control over alcohol and tobacco products.

General Feedback:

page 64

Score:

1/1

9.

The single most important legislation that has shaped the federal government's approach to controlled substances was

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> alcohol prohibition (the 18th A. Amendment).	100%	<input checked="" type="checkbox"/>	
B. the Pure Food and Drugs Act.			
C. the Marijuana Tax Act.			
D. the Dangerous Drugs Act.			

General Feedback:

page 62

Score:

1/1

10.

Substances with high abuse potential and no currently accepted medical use are listed in

Student Response	Value	Correct Answer	Feedback
A. the DAWN report.			
<input checked="" type="checkbox"/> Schedule I. B.	100%	<input checked="" type="checkbox"/>	
C. Schedule III.			
D. precursors.			

General Feedback:

page 64, 66

Score:

1/1

[Jump to Navigation Frame](#)

<

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 4

Started: January 27, 2009 9:38 PM

Submitted: January 27, 2009 9:43 PM

Time spent: [00:04:22](#)

Total score: 10/10 = 100%

Total score adjusted by
0.0

Maximum possible score:
10

1.

The complex branching parts of a neuron that receive information from other neurons are called dendrites.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 83

Score:

1/1

2.

In order for drug molecules to readily cross the blood-brain barrier, they must be somewhat lipophilic (soluble in oil).

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 82

Score:

1/1

3.

In addition to neurons, the brain contains an even larger number of another cell type known as

Student Response	Value	Correct Answer	Feedback
A. mitochondria.			
<input checked="" type="checkbox"/> B. glia.	100%	<input checked="" type="checkbox"/>	
C. serotonin.			
D. pseudopodia.			

General Feedback:

page 81

Score:

1/1

4.

Weight control, aggression, impulsivity, and psychological depression have all been associated with

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. serotonin pathways.	100%	<input checked="" type="checkbox"/>	
B. endorphins.			
C. GABA receptors.			
D. the parasympathetic branch.			

General Feedback:

page 90

Score:

1/1

5.

Whether the effect of a neurotransmitter is excitatory or inhibitory depends on

Student Response	Value	Correct Answer	Feedback
A. blood sugar level.			
<input checked="" type="checkbox"/> B. the type of receptor.	100%	<input checked="" type="checkbox"/>	
C. the rate of synthesis.			
D. enzyme actions.			

General Feedback:

page 93

Score:

1/1

6.

Which chemical pathway appears to be important both in some types of psychotic behavior and in the reinforcing properties of various drugs?

Student Response	Value	Correct Answer	Feedback
A. acetylcholine pathway from the nucleus basalis			
B. serotonin pathway from the raphe nuclei			
<input checked="" type="checkbox"/> C. mesolimbic dopamine pathway	100%	<input checked="" type="checkbox"/>	
D. glutamate pathway			

General Feedback:

page 89

Score:

1/1

7.

Which of these is NOT one of the four important regions found in every neuron?

Student Response	Value	Correct Answer	Feedback
A. cell body			
B. dendrites			
C. axon			
<input checked="" type="checkbox"/> D. glia	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 83

Score:

1/1

8.

Neurotransmitter molecules are released into the small space between two neurons called the

Student Response	Value	Correct Answer	Feedback
A. transporter.			
<input checked="" type="checkbox"/> B. synapse.	100%	<input checked="" type="checkbox"/>	
C. partition.			
D. vesicle.			

General Feedback:

page 92

Score:

1/1

9.

Cocaine selectively blocks Na⁺ (sodium) channels, which is the mechanism that leads to

Student Response	Value	Correct Answer	Feedback
A. CNS stimulation.			
B. increased heart rate.			
<input checked="" type="checkbox"/> C. local anesthetic effects.	100%	<input checked="" type="checkbox"/>	
D. cocaine dependence.			

General Feedback:

page 85

Score:

1/1

10.

Parkinson's disease is caused by damage to serotonin neurons in the raphe nuclei.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 87

Score:

1/1

Chapter 5

Sunday, February 15, 2009
11:46 PM

[Jump to Navigation Frame](#)

<

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 5

Started: February 5, 2009 2:46 AM

Submitted: February 5, 2009 2:49 AM

:

Time spent: [00:03:20](#)

Total score: **10/10 = 100%**

Total score adjusted by
0.0

Maximum possible score:
10

1.

With increasing doses of any useful drug, there is usually an increase in the number and severity of

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> side effects. A.	100%	<input checked="" type="checkbox"/>	
B. beneficial effects.			
C. placebo effects.			
D. effects on the stomach.			

General Feedback:

page 109

Score:

1/1

2.

Placebo effects are another name for nonspecific effects.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 105

Score:

1/1

3.

The threshold on a dose-response curve is the

Student Response	Value	Correct Answer	Feedback
A. point at which the dose of the drug causes maximal response.			
<input checked="" type="checkbox"/> lowest dose at which there is an observable effect of the drug. B.	100%	<input checked="" type="checkbox"/>	
C. safe effective dose of the drug.			
D. therapeutic index of the drug.			

General Feedback:

page 106

Score:

1/1

4.

Most drugs have three different kinds of names. Which of them belongs to a specific manufacturer?

Student Response	Value	Correct Answer	Feedback
A. chemical name			
B. generic name			
<input checked="" type="checkbox"/> brand name	100%	<input checked="" type="checkbox"/>	
C.			
D. research name			

General Feedback:

page 102

Score:

1/1

5.

Marijuana and heroin are both considered to be opioid drugs.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 104

Score:

1/1

6.

Alcohol has a low tendency, but THC has a high tendency, to

Student Response	Value	Correct Answer	Feedback
A. bind to the serotonin receptor.			
B. dissolve in water.			
<input checked="" type="checkbox"/> bind to blood proteins.	100%	<input checked="" type="checkbox"/>	
C.			
D. produce dependence.			

General Feedback:

page 115

Score:

1/1

7.

The time course of a drug's action depends on

Student Response	Value	Correct Answer	Feedback
A. how the drug is administered.			
B. how rapidly the drug is absorbed.			

C. how the drug is eliminated from the body.

all of the above. 100%

D.

General Feedback: page 110

Score: 1/1

8.

Some drugs may act on all types of neurons by

Student Response	Value	Correct Answer	Feedback
------------------	-------	----------------	----------

A. blocking all receptor types.

B. interfering with metabolism.

C. preventing absorption of nutrients.

altering the electrical potential 100%

D. across the cell membrane.

General Feedback: page 116

Score: 1/1

9.

For many psychoactive drugs, such as nicotine and cocaine, the fastest way to get an effect is by inhaling the drug's vapors.

Student Response	Value	Correct Answer
------------------	-------	----------------

True 100% True

General Feedback: page 114

Score: 1/1

10.

The group of psychoactive drugs called stimulants includes

Student Response	Value	Correct Answer	Feedback
------------------	-------	----------------	----------

cocaine. 100%

A.

B. Prozac.

C. LSD.

D. heroin.

General Feedback: pages 103, 104

Chapter 6

Sunday, February 15, 2009
11:47 PM

[Jump to Navigation Frame](#)

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 6
Started: February 5, 2009 3:24 PM
Submitted: February 5, 2009 3:31 PM

Time spent: [00:06:44](#)

Total score: **10/10 = 100%**

Total score adjusted by
0.0

Maximum possible score:
10

1.

Studies show that blacks are just as likely as whites to be arrested for violating crack cocaine laws.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 131

Score:

1/1

2.

Most illicit cocaine in the U.S. is powdered cocaine, specifically cocaine hydrochloride, which is

Student Response	Value	Correct Answer	Feedback
A. also called "rock" or "crack."			
B. a form of ecstasy (MDMA).			
<input checked="" type="checkbox"/> too stable to be smoked.	100%	<input checked="" type="checkbox"/>	

- C.
- D. usually contaminated with strychnine.

General Feedback: pages 129-130

Score: 1/1

3.

The 1914 New York Times article, "Negro Cocaine 'Fiends' are a New Southern menace,"

Student Response	Value	Correct Answer	Feedback
A. provided solid documentation of increased psychiatric admissions due to cocaine.			
<input checked="" type="checkbox"/> said that cocaine increased homicidal tendencies and improved marksmanship.	100%	<input checked="" type="checkbox"/>	
C. said that the real problem was the alcohol people were drinking with cocaine.			
D. was the first public description of crack cocaine use.			

General Feedback: page 129

Score: 1/1

4.

The use of cocaine by members of the general public in Europe and North America was initially in the form of

Student Response	Value	Correct Answer	Feedback
A. coca powder.			
B. pills.			
<input checked="" type="checkbox"/> drinks, such as coca wine and Coca-Cola.	100%	<input checked="" type="checkbox"/>	
D. cigarettes.			

General Feedback: page 125

Score: 1/1

5.

What is cocaine still used for medicinally?

Student Response	Value	Correct Answer	Feedback
A. It is prescribed for weight loss.			
<input checked="" type="checkbox"/> It is used as a local anesthetic for nasal, laryngeal, and esophageal surgeries.	100%	<input checked="" type="checkbox"/>	
C. It is used as a local anesthetic for dental surgeries.			
D. Cocaine has no medical uses currently.			

General Feedback:

page 133

Score:

1/1

6.

Although the National Survey on Drug Use and Health does not find evidence for higher rates of illicit drug use among black Americans, in 2006 blacks represented more than 80 percent of those arrested for

Student Response	Value	Correct Answer	Feedback
A. marijuana possession.			
B. selling methamphetamine.			
C. all drug offenses.			
<input checked="" type="checkbox"/> violation of federal crack cocaine laws.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 131

Score:

1/1

7.

During World War II, amphetamines

Student Response	Value	Correct Answer	Feedback
A. became unavailable due to shortages of chemicals.			
B. were used by the German military as a "truth serum" for interrogating prisoners.			
C. were used by the Japanese, but only for senior officers.			
<input checked="" type="checkbox"/> were used to decrease fatigue by several countries, including the U.S.	100%	<input checked="" type="checkbox"/>	

8.

One of the more disturbing side effects of treating ADHD with amphetamines or methylphenidate (Ritalin) is

Student Response	Value	Correct Answer	Feedback
A. the high rate of drug dependence that develops.			
<input checked="" type="checkbox"/> decreased height and weight gains in children.	100%	<input checked="" type="checkbox"/>	
C. increased numbers of suicide attempts.			
D. liver dysfunction.			

9.

Dr. W. S. Halstead, the "father of American surgery," experimented with cocaine's ability to produce

Student Response	Value	Correct Answer	Feedback
A. dependence.			
B. a deep sleep.			
C. psychosis.			
<input checked="" type="checkbox"/> local anesthesia.	100%	<input checked="" type="checkbox"/>	
D.			

10.

Amphetamines are not widely used to treat depression because

Student Response	Value	Correct Answer	Feedback
A. they have no effect on mood.			
<input checked="" type="checkbox"/> they do improve mood temporarily, but people feel even worse when the drug wears off.	100%	<input checked="" type="checkbox"/>	
B.			
C. they cause too much weight loss.			

- D. they have to be taken in increasing doses for a couple of weeks to improve mood.

General Feedback:

pages 141-142

Score:

1/1

Chapter 7

Sunday, February 15, 2009
11:48 PM

[Jump to Navigation Frame](#)

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 7

Started: February 7, 2009 4:17 PM

Submitted: February 7, 2009 4:22 PM

Time spent: [00:05:10](#)

Total score: **10/10 = 100%**

Total score adjusted by 0.0

Maximum possible score: 10

1.

When benzodiazepines bind to their "receptors" in the brain, they

Student Response	Value	Correct Answer	Feedback
A. release barbiturates.			
B. block acetylcholine receptors.			
C. reduce the membrane electrical potential.			
<input checked="" type="checkbox"/> D. enhance the inhibitory effects of GABA.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 159

Score:

1/1

2.

The modern era of abuse of volatile solvents by young people can be traced to a 1959 newspaper report of

Student Response	Value	Correct Answer	Feedback
A. gasoline huffing.			
<input checked="" type="checkbox"/> B. glue sniffing.	100%	<input checked="" type="checkbox"/>	
C. lead paint poisoning.			
D. nitrite abuse.			

General Feedback:

page 167

Score:

1/1

3.

About one-third of adult Americans report that they have some trouble falling asleep or staying asleep. As for using hypnotic drugs to help them sleep,

Student Response	Value	Correct Answer	Feedback
A. almost all of them use these drugs continuously.			
B. most of them use the drugs at least twice a week.			
C. about half of them use the drugs regularly.			
<input checked="" type="checkbox"/> D. most have not taken these drugs at all in the past year.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 161

Score:

1/1

4.

Withdrawal from long-term use of sedative-hypnotic drugs is characterized by

Student Response	Value	Correct Answer	Feedback
A. aching, high blood pressure, drowsiness.			
<input checked="" type="checkbox"/> B. anxiety, insomnia, nausea, seizures.	100%	<input checked="" type="checkbox"/>	
C. rapid mood swings.			
D. minor discomfort, but no			

serious symptoms.

General Feedback:

page 164

Score:

1/1

5.

Librium (chlordiazepoxide) and Valium (diazepam) were the first widely sold

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. benzodiazepines.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> B. barbiturates.			
<input type="checkbox"/> C. methaqualones.			
<input type="checkbox"/> D. sedatives.			

General Feedback:

pages 157-158

Score:

1/1

6.

The primary medical uses for sedative-hypnotics have been to treat anxiety and sleep disorders.

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 153

Score:

1/1

7.

The CNS depressants include various prescription drugs referred to as

Student Response	Value	Correct Answer	Feedback
<input type="checkbox"/> A. GHBs.			
<input checked="" type="checkbox"/> B. sedative-hypnotics.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> C. entheogens.			
<input type="checkbox"/> D. catecholamines.			

General Feedback:

page 153

Score:

1/1

8.

Animal self-administration experiments and studies of drug choice among humans indicate that

Student Response	Value	Correct Answer	Feedback
A. benzodiazepines have no dependence liability.			
B. rats and people are very different in the drugs they choose to self-administer.			
<input checked="" type="checkbox"/> C. short-acting barbiturates are more likely to lead to dependence than any of the benzodiazepines.	100%	<input checked="" type="checkbox"/>	
D. all of the benzodiazepines have high dependence liability.			

General Feedback:

page 164

Score:

1/1

9.

What has kept paraldehyde from being widely used?

Student Response	Value	Correct Answer	Feedback
A. danger to the CNS			
<input checked="" type="checkbox"/> B. bad taste and odor	100%	<input checked="" type="checkbox"/>	
C. danger to the respiratory system			
D. irritation to the gastric system			

General Feedback:

page 154

Score:

1/1

10.

Zolpidem (Ambien) and eszopiclone (Lunesta) are

Student Response	Value	Correct Answer	Feedback
A. older sleeping pills that are no longer marketed.			
B. intermediate-acting barbiturates.			
<input checked="" type="checkbox"/> C. not benzodiazepines chemically, but they have	100%	<input checked="" type="checkbox"/>	

similar effects.

D. long-acting benzodiazepines.

General Feedback:

page 159

Score:

1/1

Chapter 8

Sunday, February 15, 2009

11:48 PM

[Jump to Navigation Frame](#)

<

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Title: Quiz 8

Started: February 9, 2009 5:06 PM

Submitted: February 9, 2009 5:14 PM

:

Time spent: [00:08:09](#)

Total score: **9/10 = 90%**

Total score adjusted by 0.0

Maximum possible score: 10

1.

The MAO inhibitors are considered to be atypical antipsychotics.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

pages 180-181

Score:

1/1

2.

Many of the new atypical antipsychotics are known to cause

Student Response	Value	Correct Answer	Feedback
------------------	-------	----------------	----------

A. liver disorders.

- B. manic episodes.
- C. significant weight gain and metabolic changes.
- D. very few side effects. 0%

General Feedback: page 180

Score: 0/1

3.

The latest evidence on the effectiveness of antidepressants is that they are only slightly better than placebos.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: pages 182-184

Score: 1/1

4.

The acceptance of the mood stabilizer _____ was slowed by a series of overdose poisonings and by the fact that the drug is one of the basic elements and could not be patented.

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. lithium	100%	<input checked="" type="checkbox"/>	
B. valproic acid			
C. carbamazepine			
D. lamotrigine			

General Feedback: pages 184-185

Score: 1/1

5.

The introduction of chlorpromazine in the U.S. in 1955 marked the last year in which

Student Response	Value	Correct Answer	Feedback
A. the rate of imprisonment declined.			
B. the major pharmaceutical companies reported net losses.			

- the population of mental hospitals increased. 100%
- C. schizophrenia was a major cause of suicide.

General Feedback: page 186
Score: 1/1

6.

One side effect common with the older antipsychotics, but less common with the newer ones, is

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> pseudoparkinsonism.	100%	<input checked="" type="checkbox"/>	
B. positive symptoms.			
C. a lag period.			
D. MAO inhibition.			

General Feedback: page 179
Score: 1/1

7.

One indirect consequence of effective drug treatment for serious mental disorders is that more mentally ill people are now in jail or prison than in mental hospitals.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 187
Score: 1/1

8.

The antipsychotic drugs that have been marketed in the past ten years, such as Zyprexa (olanzapine), are referred to as

Student Response	Value	Correct Answer	Feedback
A. conventional antipsychotics.			
B. nouveaux antipsychotics.			
<input checked="" type="checkbox"/> atypical antipsychotics.	100%	<input checked="" type="checkbox"/>	
C. postmodern			

antipsychotics.

General Feedback:

page 178

Score:

1/1

9.

The most recent (2000) version of the American Psychiatric Association's classification system for mental disorders is called the

Student Response	Value	Correct Answer	Feedback
A. Physician's Desk Reference (PDR).			
B. Merck Manual.			
<input checked="" type="checkbox"/> C. DSM-IV-TR.	100%	<input checked="" type="checkbox"/>	
D. Treatment Guide.			

General Feedback:

page 172

Score:

1/1

10.

People taking monoamine oxidase inhibitors for depression must avoid

Student Response	Value	Correct Answer	Feedback
A. exposure to strong sunlight.			
<input checked="" type="checkbox"/> B. foods high in tyramine, such as aged cheeses.	100%	<input checked="" type="checkbox"/>	
C. strenuous exercise.			
D. grapefruit juice.			

General Feedback:

page 181

Score:

1/1

Chapter 9

Sunday, February 15, 2009
11:49 PM

[Jump to Navigation Frame](#)

<

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Quiz 1](#) > [Assessments](#) > [View All Submissions](#) > View Attempt

View Attempt 1 of 1

Started: February 15, 2009 1:30 PM

Submitted: February 15, 2009 1:37 PM

Time spent: [00:06:51](#)

Total score: **10/10 = 100%**

Total score adjusted by 0.0

Maximum possible score: 10

1.

Over one thousand people die in the U.S. each year from simple alcohol overdose. It is particularly dangerous to

Student Response	Value	Correct Answer	Feedback
A. mix beer and hard liquor.			
<input checked="" type="checkbox"/> B. begin drinking again after vomiting.	100%	<input checked="" type="checkbox"/>	
C. drink wine with a meal.			
D. combine alcohol and caffeine.			

General Feedback:

page 217

Score:

1/1

2.

Which of these substances speeds up the absorption of alcohol?

Student Response	Value	Correct Answer	Feedback
A. plain water			
B. starchy foods			
<input checked="" type="checkbox"/> C. carbonated liquids	100%	<input checked="" type="checkbox"/>	
D. meat products			

General Feedback:

page 206

Score:

1/1

3.

Hangover-prevention products sold on TV and over the Internet are actually pretty effective if they contain activated charcoal.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

False	100%	False
-------	------	-------

General Feedback:

page 218

Score:

1/1

4.

Alcohol is involved in about one-third of all suicides.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

True	100%	True
------	------	------

General Feedback:

page 216

Score:

1/1

5.

About what percentage of college students reports drinking alcohol at least once within the past month?

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

A. 92 percent

B. 86 percent

C. 62 percent

D. 41 percent

100%	<input checked="" type="checkbox"/>
------	-------------------------------------

General Feedback:

page 206

Score:

1/1

6.

In a typical person, intoxication to the point of staggering and greatly impaired sensory perception occurs at about what BAC?

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

A. 0.05 percent

B. 0.10 percent

C. 0.25 percent

D. 0.40 percent

100%	<input checked="" type="checkbox"/>
------	-------------------------------------

General Feedback:

page 211

Score:

1/1

7.

New Hampshire has one of the lowest per-capita sales of alcohol among the states.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

pages 204-205

Score:

1/1

8.

When alcohol is formed, other related substances are also formed, called

Student Response	Value	Correct Answer	Feedback
A. nitrosamines.			
<input checked="" type="checkbox"/> B. congeners.	100%	<input checked="" type="checkbox"/>	
C. trace elements.			
D. contaminants.			

General Feedback:

page 198

Score:

1/1

9.

If one member of a pair of identical twins is dependent on alcohol, the other twin

Student Response	Value	Correct Answer	Feedback
A. is virtually certain to also be dependent on alcohol.			
<input checked="" type="checkbox"/> B. has about a 50 percent chance of also being dependent on alcohol.	100%	<input checked="" type="checkbox"/>	
C. has about a 10 percent chance of also being dependent on alcohol.			
D. is not at any greater risk for alcohol dependence than anyone else.			

General Feedback:

page 226

Score:

1/1

10.

Alcoholic beverages form when yeasts act upon sugars in the process of

Student Response	Value	Correct Answer	Feedback
A. malting.			
<input checked="" type="checkbox"/> B. fermentation.	100%	<input checked="" type="checkbox"/>	
C. distillation.			
D. catabolism.			

General Feedback:

page 192

Score:

1/1

Midterm

Monday, February 16, 2009
1:26 AM

[Jump to Navigation Frame](#)

<

Your location: [Home Page](#) > [Quizzes and Exams](#) > [Midterm Examination](#) > [Assessments](#) > [View All Submissions](#) > [View Attempt](#)

View Attempt 1 of 1

Title: Midterm Examination

Started: February 16, 2009 12:41 AM

Submitted: February 16, 2009 1:26 AM

Time spent: [00:44:33](#)

Total score: 47/50 = 94%

Total score adjusted by 0.0

Maximum possible score: 50

1.

One of the most important risk factors for drug use is

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. having friends who use marijuana or other substances.	100%	<input checked="" type="checkbox"/>	

- B. being heavily involved in extracurricular activities.
- C. having lots of money.
- D. believing that your parents are a source of social support.

General Feedback:

page 14

Score:

1/1

2.

According to results from the National Survey on Drug Use and Health, which of these ethnic groups reports the highest rate of use of alcohol, tobacco, and marijuana?

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> white A.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> B. African American			
<input type="checkbox"/> C. Hispanic			
<input type="checkbox"/> D. Asian			

General Feedback:

page 15

Score:

1/1

3.

There are some drugs that we should just define as being bad drugs.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 4-5

Score:

1/1

4.

The National Survey on Drug Use and Health revealed that, in about 1980,

Student Response	Value	Correct Answer	Feedback
A. cocaine use was just beginning to increase.			
B. alcohol use was low and marijuana use was high.			
C. rates of using cocaine, alcohol,			

and marijuana were all about the same as in 2000.

- rates of using alcohol, marijuana, 100%
- D. and other illicit drugs reached their highest points, and all are now lower than in 1980.

General Feedback:

page 11-12

Score:

1/1

5.

If a substance is consistently used in particular kinds of situations (e.g., at parties, as opposed to when one is alone), it can help us to understand

Student Response	Value	Correct Answer	Feedback
A. the amount of the substance being used.			
B. the type of substance being used.			
<input checked="" type="checkbox"/> why the substance is being used.	100%	<input checked="" type="checkbox"/>	
C. used.			
D. who is using the substance.			

General Feedback:

page 3

Score:

1/1

6.

Drugs have played a significant role in human society

Student Response	Value	Correct Answer	Feedback
A. for about the past 100 years.			
B. only since the 1960s.			
<input checked="" type="checkbox"/> for thousands of years.	100%	<input checked="" type="checkbox"/>	
C.			
D. only in Europe and North America.			

General Feedback:

page 5, 7

Score:

1/1

7.

The term "laissez-faire" refers to the tendency of news media to sensationalize drug problems.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

False	100%	False
-------	------	-------

General Feedback:

pages 25-26

Score:

1/1

8.

The text lists three concerns that led to the adoption of the first U.S. laws regulating what we now call controlled substances. Which of these was NOT one of the three?

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

<input checked="" type="checkbox"/> A. high profits for drug sellers.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> B. toxicity.			
<input type="checkbox"/> C. dependence.			
<input type="checkbox"/> D. association of drug users with crime.			

General Feedback:

page 26

Score:

1/1

9.

When repeated exposure to the same dose of a drug results in a lesser effect, this is called

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

<input type="checkbox"/> A. acute toxicity.			
<input type="checkbox"/> B. dependence.			
<input type="checkbox"/> C. vaccination.			
<input checked="" type="checkbox"/> D. tolerance.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 33

Score:

1/1

10.

About how many arrests are made in the U.S. each year for drug-law violations?

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

<input checked="" type="checkbox"/> 1.5 million	100%	<input checked="" type="checkbox"/>	
---	------	-------------------------------------	--

- A.
- B. 200,000
- C. 50,000
- D. 5,000

General Feedback:

page 43

Score:

1/1

11.

Longitudinal studies find that indicators of criminal or antisocial behavior usually occur earlier in life than the first use of an illicit drug.

Student Response	Value	Correct Answer
False	0%	True

General Feedback:


page 41

Score:

0/1

12.

As views of substance dependence have changed based on scientific research, the real driving force behind repeated excessive drug use is now believed to be

Student Response	Value	Correct Answer	Feedback
A. psychological dependence, based on reinforcement.		<input checked="" type="checkbox"/>	
 physical dependence, caused by tolerance.	0%		
B. an allergic reaction to the substance.			
C. unmet psychological needs in early childhood.			
D.			

General Feedback:

pages 33-34

Score:

0/1

13.

When the Pure Food and Drugs Act was first passed, drugs were legally required to be

Student Response	Value	Correct Answer	Feedback
A. safe.			

- B. effective.
- pure and accurately 100%
- C. labeled.
- D. all of the above.

General Feedback: page 57
 Score: 1/1

14.

Before the FDA approves an IND for human testing of a new drug,

Student Response	Value	Correct Answer	Feedback
A. several hundred volunteers have been exposed to the drug.			
<input checked="" type="checkbox"/> the drug has been tested in at least two species of nonhuman animals.	100%	<input checked="" type="checkbox"/>	
C. the drug's effectiveness has been proven.			
D. the drug must be marketed in another country.			

General Feedback: page 59
 Score: 1/1

15.

Opium production in Afghanistan increased substantially after U.S. and NATO forces toppled the Taliban government in 2002.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 74
 Score: 1/1

16.

Compared to urine samples, hair samples


Student Response	Value	Correct Answer	Feedback
A. can be used to test for a greater variety of drugs.			
B. can detect drug use for up to a week.			
<input checked="" type="checkbox"/> can detect drug use for up to	100%	<input checked="" type="checkbox"/>	

- C. 90 days.
- D. are harder to obtain.

General Feedback: page 72
 Score: 1/1

17.

One example where the U.S. interest in international drug control has conflicted with national security issues is

Student Response	Value	Correct Answer	Feedback
 opium growing in A. Afghanistan. B. coca growing in Peru. C. marijuana growing in China. D. MDMA (ecstasy) smuggling in Europe.	100%	<input checked="" type="checkbox"/>	

General Feedback: page 74
 Score: 1/1

18.

The current annual U.S. federal drug control budget is over \$10 billion per year.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 73
 Score: 1/1

19.

Information is carried down the axon by ion channels that are responsible for the electrical signal known as an action potential.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: pages 84-85
 Score: 1/1

20.

The process in which enzymes within neurons convert precursors into neurotransmitter molecules is called

Student Response	Value	Correct Answer	Feedback
A. homeostasis.			
B. uptake.			
C. depolarization.			
<input checked="" type="checkbox"/> D. synthesis.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 92

Score:

1/1

21.

Besides MRI, the other brain scanning technique described in the book that can study where specific chemicals are binding in living humans is called

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. positron emission tomography (PET).	100%	<input checked="" type="checkbox"/>	
B. mass spectroscopy.			
C. electron microscopy.			
D. electrochemical detection.			

General Feedback:

page 96

Score:

1/1

22.

Gated ion channels for sodium and potassium open and close in rapid succession, causing the neuron to depolarize and then repolarize, during each

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. action potential.	100%	<input checked="" type="checkbox"/>	
B. homeostasis.			
C. metabolism.			
D. transporter.			

General Feedback:

pages 83-84

Score:

1/1

23.

In order for drug molecules to readily cross the blood-brain barrier, they must be somewhat lipophilic (soluble in oil).

Student Response	Value	Correct Answer
True	100%	True

General Feedback:

page 82

Score:

1/1

24.

One of the main ways that drugs can affect neurotransmitter systems is by cutting off blood flow to a specific brain structure.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 95

Score:

1/1

25.

For some psychoactive drugs, the fastest way to get the drug to the brain is by

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> inhalation. A.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> intramuscular injection. B.			
<input type="checkbox"/> using a rectal suppository. C.			
<input type="checkbox"/> rubbing it on the head. D.			

General Feedback:

page 114

Score:

1/1

26.

Alcohol has a low tendency, but THC has a high tendency, to

Student Response	Value	Correct Answer	Feedback
<input type="checkbox"/> bind to the serotonin receptor. A.			
<input type="checkbox"/> dissolve in water. B.			
<input checked="" type="checkbox"/> bind to blood proteins. C.	100%	<input checked="" type="checkbox"/>	
<input type="checkbox"/> produce dependence. D.			

General Feedback:

page 115

Score:

1/1

27.

If repeated exposure to a drug increases the activity of the CYP450 enzyme that is responsible for metabolizing that drug, then later doses will be less effective than the first few doses. This is an example of

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> drug disposition A. tolerance. B. behavioral tolerance. C. an active metabolite. D. a prodrug.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page
118

Score:

1/1

28.

The potency of a drug is defined only in terms of

Student Response	Value	Correct Answer	Feedback
A. the magnitude of the effect it produces. B. its dependence potential. C. whether it has a detectible odor. <input checked="" type="checkbox"/> the amount required to produce an effect. D.	100%	<input checked="" type="checkbox"/>	

General Feedback:

page 109

Score:

1/1

29.

A drug's generic name can only be used by one company.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

page 102

Score:

1/1

30.

Placebo effects are another name for nonspecific effects.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 105

Score: 1/1

31.

Cocaine is still legally available for use in nasal, laryngeal, and esophageal surgery.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 133

Score: 1/1

32.

When laboratory animals are given unlimited opportunities to self-administer cocaine injections,

Student Response	Value	Correct Answer	Feedback
A. most eventually become bored with it and stop taking it.			
B. they become completely tolerant to it and it loses its effect.			
C. they only inject enough to keep themselves awake.			
<input checked="" type="checkbox"/> they will keep taking it until they die.	100%	<input checked="" type="checkbox"/>	

General Feedback: page 134

Score: 1/1

33.

Crack cocaine is a very stable form of the drug also known as cocaine hydrochloride.

Student Response	Value	Correct Answer
False	100%	False

General Feedback:

pages 129-130

Score:

1/1

34.

The ability of stimulants to improve mental performance

Student Response	Value	Correct Answer	Feedback
A. has never been demonstrated in controlled studies.			
B. is a myth-all the evidence shows that amphetamine and similar drugs impair performance.			
C. is so clear that these drugs are routinely used to treat Alzheimer's dementia.			
<input checked="" type="checkbox"/> D. depends on the complexity of the task and the person's level of fatigue.	100%	<input checked="" type="checkbox"/>	

General Feedback:

pages 145-147

Score:

1/1

35.

What is cocaine still used for medicinally?

Student Response	Value	Correct Answer	Feedback
A. It is prescribed for weight loss.			
<input checked="" type="checkbox"/> B. It is used as a local anesthetic for nasal, laryngeal, and esophageal surgeries.	100%	<input checked="" type="checkbox"/>	
C. It is used as a local anesthetic for dental surgeries.			
D. Cocaine has no medical uses currently.			

General Feedback:

page 133

Score:

1/1

36.

The "date-rape" drug Rohypnol (flunitrazepam)

Student Response	Value	Correct Answer	Feedback
------------------	-------	----------------	----------

- A. is no longer manufactured legally.
- B. is sold as a hypnotic agent (sleeping pill) in many countries other than the U.S. 100%
- C. was never marketed by any company because of its unusual impairment of memory
- D. is available by prescription in the U.S.

General Feedback:

page 159

Score:

1/1

37.

Animal self-administration experiments and studies of drug choice among humans indicate that

Student Response	Value	Correct Answer	Feedback
A. benzodiazepines have no dependence liability.			
B. rats and people are very different in the drugs they choose to self-administer.			
<input checked="" type="checkbox"/> C. short-acting barbiturates are more likely to lead to dependence than any of the benzodiazepines.	100%		
D. all of the benzodiazepines have high dependence liability.			

General Feedback:

page 164

Score:

1/1

38.

How are barbiturates usually grouped?

Student Response	Value	Correct Answer	Feedback
<input checked="" type="checkbox"/> A. duration of activity	100%		
B. price			
C. chemical structure			
D. strength of hypnotic effect			

General Feedback:

pages 154-156

Score:

1/1

39.

Volatile solvents that act as CNS depressants are found in a wide variety of household products.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

True	100%	True
------	------	------

General Feedback:

pages 167-168

Score:

1/1

40.

Among the sedative-hypnotic drugs, short-acting barbiturates seem to be the most likely to lead to drug dependence.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

True	100%	True
------	------	------

General Feedback:

pages 163-164

Score:

1/1


41.

The initial effect of tricyclic antidepressants is to

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

A. block acetylcholine receptors.

B. block D2 dopamine receptors

C. inhibit reuptake of norepinephrine, dopamine, and serotonin. 100% 

D. inhibit metabolism of GABA.

General Feedback:

page 181

Score:

1/1

42.

Each year, more mentally ill persons are _____ than are admitted to state mental hospitals.

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

A. killed

- jailed 100%
- B.
- C. sued
- D. treated for agranulocytosis

General Feedback: page 187

Score: 1/1

43.

It is now well accepted that the initial effect of antipsychotic drugs is to

Student Response	Value	Correct Answer	Feedback
A. block serotonin reuptake.			
B. stimulate acetylcholine receptors.			
C. increase brain levels of norepinephrine.			
<input checked="" type="checkbox"/> block D2 dopamine receptors.	100%	<input checked="" type="checkbox"/>	

General Feedback: page 179

Score: 1/1

44.

The first antipsychotic drugs were the phenothiazines, introduced in the 1950s.

Student Response	Value	Correct Answer
True	100%	True

General Feedback: page 177

Score: 1/1

45.

What is the average lag period for antidepressants to begin to be effective?

Student Response	Value	Correct Answer	Feedback
A. 1 day			
<input checked="" type="checkbox"/> 2 weeks	100%	<input checked="" type="checkbox"/>	
B.			
C. 4 weeks			

D. 6 weeks

General Feedback:

page 184

Score:

1/1

46.

Alcohol is involved in about one-third of all suicides.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

True	100%	True
------	------	------

General Feedback:

page 216

Score:

1/1

47.

New Hampshire has one of the lowest per-capita sales of alcohol among the states.

Student Response	Value	Correct Answer
-------------------------	--------------	-----------------------

False	100%	False
-------	------	-------

General Feedback:

pages 204-205

Score:

1/1

48.

Breath samples to determine BAC

Student Response	Value	Correct Answer	Feedback
-------------------------	--------------	-----------------------	-----------------

A. only work well at BACs above 0.15 percent.

B. are inaccurate at all blood levels.

provide an accurate indicator of BAC across a wide range. 100%



D. don't work if the drinker uses breath mints.

General Feedback:

page 213

Score:

1/1

49.

In studies relating homicide to alcohol use,

Student Response	Value	Correct Answer	Feedback
A. there is no statistical relationship between drinking and murder.			
B. about half of all murderers and about half of all murder victims had been drinking.		<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/> C. murderers were likely to have been drinking, but their victims were not.	0%		
D. victims were likely to have been drinking, but the murderers were not.			

General Feedback:

page 215

Score:

0/1

50.

About what percentage of college students reports drinking alcohol at least once within the past month?

Student Response	Value	Correct Answer	Feedback
A. 92 percent			
B. 86 percent			
<input checked="" type="checkbox"/> C. 62 percent	100%	<input checked="" type="checkbox"/>	
D. 41 percent			

General Feedback:

page 206

Score:

1/1